

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS






**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

**Solid, phytoactive compositions, methods of use and methods of preparation.**






**Patent number:** EP0206537  
**Publication date:** 1986-12-30  
**Inventor:** DJAFAR ROGER RACHID; CHAN JIMMY HUA-HIN  
**Applicant:** STAUFFER CHEMICAL CO (US)  
**Classification:**  
- **international:** A01N57/20; A01N25/08  
- **european:** A01N25/08, A01N57/20  
**Application number:** EP19860303981 19860527  
**Priority number(s):** US19850738708 19850529; US19850738709 19850529;  
US19850762466 19850805

**Also published as:**

 PH26777 (A)  
 FI862037 (A)  
 ES8707081 (A)  
 BG51234 (A)  
 EP0206537 (B1)

more &gt;&gt;

**Cited documents:**

 US3853530  
 US4140513  
 US4315765  
 US4405531  
 US4483705

**Abstract of EP0206537**

Disclosed are solid, phytoactive, N-phosphonomethyl-N-carboxy-methyl compositions. Also disclosed are processes for the preparation of such compositions by  
(a) forming an initial mixture comprising a phytoactive N-phosphonomethyl-N-carboxymethyl compound, a solvent and a molten surfactant, the surfactant being solid at ambient temperatures;  
(b) removing solvent from the initial mixture to form a final mixture at a temperature above the melting point of the surfactant;  
(c) cooling said final mixture to a temperature below the melting point of the surfactant to form a N-phosphonomethyl-N-carboxymethyl composition which is solid at ambient temperatures; and  
(d) processing said composition into particulate form, such as pellets, flakes, granules, or powders.  
Further disclosed is the use thereof in controlling vegetation.

---

Data supplied from the **esp@cenet** database - Worldwide



Europäisches Patentamt  
European Patent Office  
Office européen des brevets

Publication number:

**0 206 537**  
**A1**

12

## EUROPEAN PATENT APPLICATION

21 Application number: 86303981.4

51 Int. Cl.: A 01 N 57/20, A 01 N 25/08

22 Date of filing: 27.05.86

30 Priority: 29.05.85 US 738708  
29.05.85 US 738709  
05.08.85 US 762466

71 Applicant: STAUFFER CHEMICAL COMPANY, Westport  
Connecticut 06880 (US)

43 Date of publication of application: 30.12.86  
Bulletin 68/52

72 Inventor: Chan, Jimmy Hui-Hin, 5331 Alhambra Valley  
Road, Martinez California 94553 (US)  
Inventor: Djafar, Roger Rachid, One Seasmast Passage,  
Corte Madera California 94925 (US)

64 Designated Contracting States: AT BE CH DE FR GB IT LI  
NL SE

74 Representative: Froud, Clive et al, Elkington and Fife  
High Holborn House 52/54 High Holborn, London  
WC1V 6SH (GB)

64 Solid, phytoactive compositions, methods of use and methods of preparation.

57 Disclosed are solid, phytoactive, N-phosphonomethyl-N-carboxy-methyl compositions. Also disclosed are processes for the preparation of such compositions by

(a) forming an initial mixture comprising a phytoactive N-phosphonomethyl-N-carboxymethyl compound, a solvent and a molten surfactant, the surfactant being solid at ambient temperatures;

(b) removing solvent from the initial mixture to form a final mixture at a temperature above the melting point of the surfactant;

(c) cooling said final mixture to a temperature below the melting point of the surfactant to form a N-phosphonomethyl-N-carboxymethyl composition which is solid at ambient temperatures; and

(d) processing said composition into particulate form, such as pellets, flakes, granules, or powders.

Further disclosed is the use thereof in controlling vegetation.

EP 0 206 537 A1

0206537  
86303981.4

- 1 -

SOLID, PHYTOACTIVE COMPOSITIONS, METHODS OF  
USE AND METHODS OF PREPARATION

This invention relates to novel, solid, phytoactive compositions comprising certain surfactants and phytoactive compounds containing the moiety:



and to methods of manufacture of such compositions.

5       The phytoactive compounds containing the moiety set forth above as Formula I are designated herein as N-phosphonomethyl-N-carboxymethyl compounds or "PMCM" compounds. These compounds and the moiety of Formula I will be further defined and illustrated hereinafter. For convenience, the phytoactive compounds containing the moiety of Formula I will herein-  
10 after be designated PMCM compounds.

A large number of phytoactive PMCM compounds are known in the art. The term "phytoactive" as used in describing this invention means effective as a plant growth regulator, as a herbicide, as a defoliant or the like. Illustrative of such PMCM compounds and their use are:

- 15       U.S. Patent 3,455,675, Irani, July 15, 1969, entitled "Aminophosphonate Herbicides";  
          U.S. Patent 3,556,762, Hamm, January 19, 1971, entitled "Increasing Carbohydrate Deposition in Plants with Aminophosphonates";  
          U.S. Patent 4,405,531, Franz, September 20, 1983, entitled  
20 "Salts of N-Phosphonomethylglycine";  
          U.S. Patent 3,868,407, Franz, February 25, 1975, entitled "Carboxyalkyl Esters of N-Phosphonomethylglycine";  
          U.S. Patent 4,140,513, Prill, February 20, 1979, entitled "Sodium Sesquiglyphosate";  
25       U.S. Patent 4,315,765, Large, February 16, 1982, entitled "Trialkylsulfonium Salts of N-Phosphonomethylglycine;"

U.S. Patent 4,481,026, Prisbylla, November 6, 1984,  
entitled "Aluminum N-Phosphonomethylglycine and Its Use As A Herbicide";

U.S. Patent 4,397,676, Bakel, August 9, 1983, entitled  
"N-Phosphonomethylglycine Derivatives"; and

5 International Application WO 84/03607, Chevron Research  
Company, September 27, 1984, entitled "Glyphosate-Type Herbicidal Composi-  
tions".

These patents are illustrative and are incorporated herein by  
reference. Most of these patents also include descriptions of processes  
10 employed to prepare such compounds. The following patents provide addi-  
tional process descriptions.

U.S. Patent 3,288,846, Irani et al., November 29, 1966,  
entitled "Process for Preparing Organic Phosphonic Acids";

U.S. Patent 4,507,250, Bakel, March 26, 1985, entitled  
15 "Process for Producing N-Phosphonomethylglycine Acid";

U.S. Patent 4,147,719, Franz, April 3, 1979, entitled "Pro-  
cess for Producing N-Phosphonomethylglycine"; and

U.S. Patent 4,487,724, Felix, December 11, 1984, entitled  
"Process for Preparation N-Phosphonomethylglycine Salts". These patents  
20 are also incorporated herein by reference.

PMCM compounds, in particular water soluble PMCM salts, are  
often difficult to obtain in a solid form. They can be difficult to crys-  
tallize and isolate from aqueous solutions. They can form glassy, non-  
crystalline solids which transform rapidly into wet cakes when exposed to  
25 the air.

Commercial formulations of PMCM compounds are generally not sold  
in a solid form, but sold as aqueous solutions. These solutions often  
contain only about 50% PMCM compound. Consequently, there is substantial  
waste in terms of storage, transportation charges and container disposal.

30 PMCM compounds in water are usually acidic and exhibit chelating  
properties. Iron and aluminum tend to inactivate the phytoactivity of the  
compounds. They can react with unlined or galvanized steel to produce

hydrogen gas which can form a highly combustible gas mixture. If ignited, this mixture can flash or explode, which may cause serious personal injury. Therefore, aqueous solutions of the compounds are usually stored and transported in plastic or specially lined steel containers.

- 5 It would be desirable to package and sell EMCM compounds in a solid form in order to realize substantial savings in terms of storage, transportation and container disposal charges and to avoid the problems associated with EMCM solutions.

Representative patents generally disclosing wettable powders  
10 containing EMCM compounds include U.S. Patents 4,025,331; 4,414,158; 4,481,026; and 4,405,531. They broadly disclose wettable powders containing a EMCM compound, an inert solid extender, and one or more surfactants. A disadvantage of such wettable powders is that the solid extender reduces the amount of active ingredients which can be transported in a container  
15 of a particular size. A further disadvantage is that many of the phytoactive compounds desirably contained in such powders, particularly EMCM salts, are hygroscopic or deliquescent. Great care is needed in packaging, storage and use of such wettable powders. If a final user chooses to employ only a portion of such a powder, extensive precautions must be  
20 taken to ensure the stability of the remainder.

It has now been found, however, that phytoactive EMCM compositions are readily obtained in a solid form which is substantially non-hygroscopic or non-deliquescent. Illustrative of a preferred process in accordance with the invention for preparing such solid compositions is the  
25 process of:


- (a) forming an initial mixture comprising a phytoactive EMCM compound, a solvent and a molten surfactant, the surfactant being solid at ambient temperatures;
- (b) removing solvent from the initial mixture at a temperature  
30 above the melting point of the surfactant to form a final mixture;
- (c) cooling the final mixture to a temperature below the melting point of the surfactant to form an N-phosphonomethyl-N-carboxymethyl composition which is solid at ambient temperatures; and

(d) processing said composition into particulate form, such as pellets, flakes, granules, or powders.

As used herein, the term "solid" refers to the physical state wherein the composition has a specific shape and volume and resists deformation. The solid may be processed into any suitable particulate form, such as pellets, flakes, granules, or powder. The solid composition can subsequently be dissolved in a suitable diluent, usually and preferably water, at a remote field site, and applied to the plants upon which the composition's phytoactivity is to be directed.

Any liquid-dispersible, phytoactive PMCM compound can be used in the compositions and processes in accordance with the invention. The term "liquid-dispersible" is used in a broad sense to encompass compounds which are soluble in a liquid as well as compounds which are merely dispersible. In preferred embodiments, the PMCM compound is liquid-soluble. In most preferred embodiments, it is water-soluble.

The PMCM compounds may be represented by the formula



wherein Z is hydrogen, an organic moiety or an inorganic moiety. Representative patents disclosing PMCM compounds wherein Z is other than hydrogen include U.S. Patent Nos. 3,888,915; 3,933,946; 4,062,699; 4,119,430; 4,322,239; and 4,084,953.

In preferred PMCM compounds, Z is hydrogen or an organic substituent. Representative organic substituents include methylene carboxylic; methylene phosphonic; methylene cyano; carbonyl, such as formyl, acetyl; benzoyl; perfluoroacetyl; and thiocarbonyl; ethylene, such as cyano; carbamoyl or carboxyl substituted ethylenel and benzene sulfonyl substituents. Representative patents disclosing compounds wherein the nitrogen contains three organic substituents include U.S. Patent Nos. 3,455,675; 3,556,762; 4,312,662; 4,216,727; 3,988,142; 3,970,695; 4,180,394; 4,047,927; 3,853,530; 4,203,756; 3,991,095; and 3,996,040. A preferred tertiary nitrogen substituted PMCM compound is N,N-bis-(phosphonomethyl)glycine.

Those EMCM compounds wherein Z is hydrogen are most preferred when the phytoactivity desired is herbicidal activity.

Representative R's include halogen,  $\text{-NHOH}$ ,  $\text{-N(R}^1\text{)}_2$ ,  $\text{-OR}^2$ ,  $\text{-SR}^2$  and OM, where  $\text{R}^1$  is independently selected from hydrogen; alkyl or hydroxyalkyl, preferably containing less than about 5 carbon atoms; alkenyl, preferably containing less than about 5 carbon atoms; or phenyl moieties.  $\text{R}^2$  is independently selected from hydrogen; alkyl; hydroxyalkyl; or chloroalkyl, preferably containing less than about 5 carbon atoms; alkoxy, preferably containing less than about 5 carbon atoms; alkyleneamine, preferably containing less than about 12 carbon atoms; phenyl; or benzyl moieties.

M is selected from hydrogen and agriculturally acceptable salt-forming moieties such as alkali metal, alkaline earth metal, stannic, ammonium, organic ammonium, alkylsulfonium, alkylsulfoxonium, alkylphosphonium moieties or combinations thereof. Representative patents disclosing at least some of such compounds include U.S. Patents 3,799,758; 4,397,676; 4,140,513; 4,315,765; 3,868,407; 4,405,531; 4,481,026; 4,414,158; 4,120,689; 4,472,189; 4,341,549; and 3,948,975.


The above patents are herein incorporated by reference.

Illustrative of agriculturally acceptable salt-forming moieties represented by M are the alkali metals having atomic weights of from 22 through 133, inclusive, such as sodium, potassium or rubidium, the alkaline earth metals having atomic weights of from about 24 through 88, inclusive, such as magnesium or calcium; ammonium and aliphatic ammonium, wherein the aliphatic ammonium is primary, secondary, tertiary or quaternary and preferably wherein the total number of carbon atoms does not exceed more than about 12; phenylammonium; trialkylsulfonium, preferably wherein the total number of carbons in the three alkyl substituents does not exceed more than about 6, such as trimethylsulfonium, ethyldimethylsulfonium, propyldimethylsulfonium and the like; trialkylsulfoxonium, preferably wherein the total number of carbon atoms in the three alkyl substituents does not exceed more than about 6, such as trimethylsulfoxonium, ethyldimethylsulfoxonium, propyldimethylsulfoxonium and the like;



with the diluent by the ultimate user. Such temperatures are generally in the range of from about  $-20^{\circ}$  to  $50^{\circ}\text{C}$ .

Preferred surfactants for use in the invention are nonionic block copolymers of alkyl oxides having a functional group



- 5 where  $\text{R}^3$  and  $\text{R}^4$  are the same or different and are selected from hydrogen,  $\text{R}^7\text{CO}-$ ,  $\text{R}^7\text{O}$ ,  $\text{R}^7\text{CN}-$ ,  $\text{R}^7\text{N}$  or  $\text{N}-$ , and wherein  $\text{R}^7$  is selected from an alkyl having from about 8 to about 30 carbon atoms or an alkylaryl group, wherein the alkyl portion of the alkylaryl group ranges from about 8 to about 30 carbon atoms, and mixtures thereof, and wherein  $m$  ranges from about 20 to about 200,  $n$  ranges from about 0 to about 10, and  $m + n$  is equal to or greater than about 25.

Examples of  $\text{R}^7$  include sorbitan, fatty radicals such as coco, oleyl, palmityl, tallow, stearyl, lauryl, soya, castor, nonylphenoxy, dinonylphenoxy, octylphenoxy, and dioctylphenoxy.

- 15 Preferred nonionic surfactants for use in the compositions of the invention include Pluronic surfactants, such as Pluronic F-38, F-68, F-77, F-87, F-88, F-89, F-108 and F-127. The Pluronic surfactants are available commercially (BASF), and comprise ethylene oxide or propylene oxide block copolymers.
- 20 The advantages of the use of a nonionic surfactant in the process and compositions of this invention are that they are generally inexpensive, readily available, low or non-irritating, often of low toxicity to mammals and generally, low or non-foaming when under vacuum in a molten state.
- 25 Other surfactants can be used, such as cationic, anionic, or amphoteric surfactants. However, they may give rise to foaming. They also may be more toxic to mammals.

Such other surfactants include Emcol CC-57 (cationic), Arquad C-50 (cationic), Ethomeen 18/12 (cationic), Ethomeen 18/15 (cationic), Ethomeen 18/60 (cationic), Ethomeen T/60 (cationic), Alkaphos K-380 (anionic) and Witconate AOK (anionic).

- 5            Mixtures of various non-ionic surfactants, or nonionics with cationic, anionic or amphoteric surfactants, can also be used if desired.

The following surfactants, among others, have been found to be useful in the processes and compositions of this invention.

TABLE I

Surfactant	Manufacturer	Structure/Type	m.p. °C
Trycol 5946	Emery	tridecyl alcohol EO*	39
Trycol 5967	Emery	lauryl alcohol EO	-
Trycol 5964	Emery	lauryl alcohol EO	39
Trycol 6954	Emery	nonylphenol 15 EO	-
Trycol NP-20	Emery	nonylphenol 20 EO	34
Trycol LAL-12	Emery	lauryl alcohol 12 EO	32
Trycol LAL-23	Emery	lauryl alcohol 23 EO	40
Trycol OAL-23	Emery	alkyl alcohol 23 EO	47
Emery 6873	Emery	-	-
Trycol 6988	Emery	dinonylphenol 15 EO	55
Pluronic F-88	BASF	block EO, PO** copolymer	54
Industrol MS-40	BASF	polyethylene glycol fatty acid ester 40 EO	48
Iconol DNP-150	BASF	dinonylphenol 15 EO	55
Pluronic F-127	BASF	block EO, PO copolymer	56
Pluronic F-108	BASF	block EO, PO copolymer	57
Plurafac A-39	BASF	linear alcohol ethoxylate	56
Alkasurf S-40	Alkaril	stearic acid ethoxylate 40 EO	46
Alkasurf TA-50	Alkaril	tallow alcohol ethoxylate 50 EO	47
Alkasurf OP-40	Alkaril	octylphenol ethoxylate 40 EO	48
Alkasurf IAD-23	Alkaril	fatty alcohol ethoxylate 23 EO	47
Alkatronic PGP 18-8	Alkaril	block EO, PO copolymer (80% EO)	52
Alkatronic PGP 23-8	Alkaril	block EO, PO copolymer (80% EO)	-
Alkatronic PGP 33-8	Alkaril	block EO, PO copolymer (80% EO)	57
T-DET BP-1	Thompson-Hayward		28
T-DET N-100	Thompson-Hayward	nonylphenol 100 EO	50
Staley APG 91-3 (solid form)	A.E. Staley	alkyl polyglycoside	

\* EO = ethylene oxide

\*\* PO = propylene oxide

Additional classes of surfactants which can be used in accordance with the invention are listed in Table II below.



Some surfactants which are solid at ambient temperatures foam. The foaming problem may arise both during the initial preparation of the composition, particularly if the solvent is removed under vacuum, and when the final product is subsequently mixed with a diluent by the ultimate user. Therefore, some embodiments of the invention include an anti-foaming agent. The anti-foaming agent may be added any time before the solvent is removed.

Representative of useful anti-foaming agents include compounds such as Silcolapse 5008 (silicone-based anti-foam) and Anti-foam Emulsion Q-94 (SWS Silicones Corp.).

In addition to the EMCM compound, the surfactant and the anti-foaming agents, the composition can also include other conventional adjuvants such as drying aids, heat stabilizers, ultraviolet absorbers, dispersants, wetting agents, and other agriculturally acceptable materials. Representative drying aids include Microcel E, Aerosil 200, and Hi-Sil® 233. Representative heat stabilizers include phenylenediamines, phenazine, butylated hydroxy toluene. Representative ultraviolet absorbers include Tinuvin 770, Tinuvin P, and dinitroanilines.

The ratio of EMCM compound to surfactant varies over a wide range. Since it is known that the choice of a particular surfactant can affect the photoactivity of the EMCM compounds used in accordance with this invention, the desired activity of the solid composition should be considered when selecting a particular surfactant. As much surfactant as desired may be employed so long as the products dissolve totally or disperse readily in the diluent prior to the application. For cost considerations, a minimum of surfactant should be used which still enables the objects of the invention to be obtained, e.g., the production of a solid product which is substantially non-hygroscopic. The ratio of EMCM compound to surfactants by weight, is typically from about 10:1 to about 1:10. The preferred ratio is from about 4:1 to about 1:2. The most preferred ratio is from about 2:1 to about 1:1.

Representative formulations of the compositions of this invention are as follows. The formulations are based on percent by weight, unless otherwise noted.

69.3% trimethylsulfonium salt of N-phosphonomethylglycine  
30.7% F-108 (m.p. 57°C)  
100% Total

69.3% isopropylamine salt of N-phosphonomethylglycine  
30.7% Tetronic 909 (m.p. 59°C)  
100% Total

69.3% isopropylamine salt of N-phosphonomethylglycine  
30.7% Pluronic F-108 (m.p. 57°C)  
100% Total

The solid compositions in accordance with this invention are characterized in that the EMCM compound forms an intimate mixture with the surfactant. The EMCM compound is initially dispersed throughout a surfactant matrix. It is believed that such an intimate dispersion prevents  
5 absorption of moisture by the EMCM compounds.

The compositions of this invention can be prepared in any suitable manner. A preferred process, however, comprises first preparing a mixture containing the EMCM compound and the solvent. In preferred embodiments, the EMCM compound is dissolved in the solvent. In other embodiments,  
10 ments, the EMCM compound is dispersed therein.

In some embodiments, the mixture is prepared by forming the EMCM compound in situ. For example, in some embodiments, N-phosphonomethylglycine is reacted with a desired base, in the presence of water, to form an aqueous solution containing the EMCM compound. In preferred embodiments,  
15 solutions of isopropylamine N-phosphonomethylglycine can be prepared in this manner.

The choice of the solvent for use in accordance with the process of the invention is not critical, but the solvent must meet certain requirements. The solvent must be capable of dissolving or dispersing a  
20 desired EMCM compound at the temperature used to form the initial mixture, without adversely effecting the EMCM compound's phytoactivity. The greater the solubility or ease of dispersibility of the EMCM compound in

solvent, the less solvent will be required and the subsequent removal of solvent will be facilitated.

It is preferred that the normal boiling point of the solvent is greater than the melting of the particular surfactant chosen. However, 5 what is most important is that the solvent be removed at a temperature greater than the surfactant's melting point. Consequently, where the normal boiling point of the solvent is less than the melting point of the surfactant, the solvent must be removed under elevated pressure. Preferred solvents include water and polar organic solvents, such as methanol, 10 ethanol, isopropyl alcohol and acetone. Water is most preferred.

The third component of the initial mixture is the surfactant. The surfactant may be added by conventional techniques to the solvent before, during or after the addition of the FMCM compound. Preferably, the surfactant is added in the molten state, although in some embodiments 15 it is initially merely dissolved or dispersed in the solvent and the temperature then raised above the melting point of the surfactant. Initial use of a molten surfactant permits easy mixing and can aid in reducing the amount of solvent, which is required. In those embodiments where the molten surfactant is itself capable of dissolving or dispersing the desired 20 FMCM compound, it can be employed in lieu of the solvent.

In order to form or maintain the molten surfactant, the lower limit on the temperature of the initial mixture is the melting point of the surfactant. The upper limit is the temperature at which a particular FMCM compound, surfactant or other additives will decompose. When tri- 25 alkylsulfonium-N-phosphonomethylglycines are chosen as a FMCM compound, temperatures in the range of 30 to 110°C are generally employed.

The solvent is then removed from the initial mixture. Any solvent removal technique can be employed, so long as the temperature is below the decomposition temperature is above the melting point of the surfactant. Representative techniques include heating and vacuum techniques 30 and combinations of both. For example, the final mixture can simply be heated to a temperature sufficient to evaporate the solvent of the above requirements are met.

The temperature at which the solvent is evaporated is a function of temperature, absolute pressure and composition of the mixture. Thus, if a reduced pressure is employed, removal of the solvent can be achieved at lower temperatures. A preferred device for solvent removal at reduced  
5 pressure is an industrial-type film evaporator. Because the residence time of the product in the device is very short, any decomposition which may tend to occur is minimized.

In carrying out the process of this invention, atmospheric conditions are most preferred for solvent removal because they eliminate the  
10 use of special equipment, or special techniques for maintaining a vacuum and for removing the resulting solid composition from such equipment.

As the solvent is removed at temperatures above the melting point of the surfactant and higher concentrations of surfactant are contained in the mixture, a viscous final mixture is formed. Upon cooling,  
15 the final mixture readily solidifies. It is not necessary to remove all the solvent from the final mixture. All that is required is that sufficient solvent be removed so that the final composition solidifies upon cooling. In preferred embodiments, however, substantially all the solvent is removed.

20 The resulting solid composition can then be processed into any suitable particulate form, such as pellets, flakes, granules, or powder, by conventional techniques. As will be readily appreciated by one skilled in the art, the size of the final particle will affect the ease of solution or dispersion of the final product in the diluent by the ultimate  
25 user. Generally, the ease of solution or dispersion increases as particle size decreases. In contrast, however, the ease of handling the final product increases as particle size increases. The more soluble or dispersible the solid composition, the larger the particle size that can be employed. In preferred embodiments, the final product is processed into particles  
30 ranging from powders having a diameter of about 3 to about 15 microns, to granules, having a diameter of about 8 to about 30 mesh to flakes.

The following examples illustrate production of the compositions of the invention in accordance with the process described herein. All percentages are based on weight, unless otherwise clearly indicated.



EXAMPLE I

In a laboratory Buchi Rotavapor, 12.5 grams (g) of TETRONIC® 908 surfactant (block copolymer of ethylene oxide and propylene oxide from BASF), m.p. 58°C, were melted in a 200 milliliter (ml) round-bottom flask at 70°C. To the molten surfactant 42.5 g of a 58% aqueous trimethylsulfonium-N-phosphonomethylglycine solution at ambient temperature were added slowly while the elevated temperature was maintained. The mixture was heated slowly to 95°C under vacuum (5 mmHg absolute pressure) and moderately rotated to control ebullition. After 1/2 hour, substantially all the water had been removed and the mixture was solidified by cooling to room temperature. The solids obtained were removed from the flask with a spatula and ground into a powder with a pestle and a mortar under nitrogen. A sample of the powder left in an open crucible did not deliquesce.

EXAMPLE II

A composition was prepared as in Example I, except for using 12.5 g of IGEPAL DM 970 (dialkylphenoxypoly(ethylenoxy)ethanol from GAF Corp.) as the surfactant. A solid was obtained which did not deliquesce upon standing in the open.

EXAMPLE III

A composition was prepared as in Example I, except for using 15 g of ICONOL DNP 150, m.p. 55°C, as the surfactant, 1 g of Hi-Sil® (fumed silica from PPG), 2 drops of anti-foaming agent (Silcolapse 5008) and evaporating at 100°C for one-half hour at 1 mmHg (absolute). A solid was obtained which did not deliquesce upon standing in the open.

EXAMPLE IV

A composition was prepared as in Example I, except for using 15 g of FLURONIC® F-108, m.p. 56°C, as the surfactant and evaporating at 95°C for 1/2 hour at 10 mmHg. The viscous paste obtained was solidified by cooling to room temperature. It did not deliquesce upon standing in the open.

EXAMPLE V

A composition was prepared as in Example IV, except for using a mixture of 2 surfactants (10 g of FLURONIC® 17R8 and 5 g of TRYCOL® 5946,

ethoxylated alkylphenol surfactant from Emery) and evaporating at 5 mmHg absolute pressure (final condition) and 100°C for 15 minutes. The viscous paste obtained solidified after cooling to room temperature. It did not deliquesce upon standing in the open.

#### EXAMPLE VI

5           A composition was prepared as in Example I, except for using 15 g of PLURONIC® F-108, m.p. 56°C, 1 g of Hi-Sil® (fumed silica from PPG) and evaporating at 5 mmHg absolute pressure (final condition) at 100°C for 1/2 hour. The product obtained solidified quickly when cooled. It did not deliquesce upon standing in the open.

#### EXAMPLE VII

10           A composition was prepared as in Example I, except for using 25 g of PLURAFAC A-39 (a linear alcohol ethoxylate surfactant from BASF), m.p. 56°C, as the surfactant and evaporating at 1 mmHg absolute pressure (final condition) at 100°C for 1/2 hour. The viscous liquid obtained solidified when cooled to room temperature. It did not deliquesce upon  
15 standing in the open.

#### EXAMPLE VIII

In a laboratory Buchi Rotavapor, 12.5 g of ICEPAL® DM 970 surfactant (trialkylphenoxy poly(ethylenoxy)ethanol from GAF Corp.) were melted in a 200 ml round-bottom flask at 70°C. To the molten surfactant, 47.8 g of a 53.5 wt. % isopropylamino-N-phosphonomethylglycine aqueous  
20 solution (Rodeo from Monsanto) at ambient temperature was maintained. The mixture was then heated slowly to 95°C under vacuum (5 mmHg absolute pressure) and moderately rotated to control the ebullition. After 1/2 hour substantially all the water had been removed and the mixture was cooled to room temperature. The solids obtained were removed from the flask with a  
25 spatula and ground into a powder with a pestle and a mortar under nitrogen. A sample of the powder left in an open crucible did not deliquesce.

#### EXAMPLE IX

A composition was prepared as in Example VIII, except for using 12.5 g of PLURONIC 17R8 surfactant (block copolymer of propylene oxide and ethylene oxide from BASF, Wyandotte) and evaporating at 90°C for 1/2 half  
30 hour at 5 mmHg (absolute). The resulting solid product did not deliquesce.

EXAMPLE X

Twelve additional powders were prepared. All the solids obtained were ground into water-soluble powders. The powders were prepared as follows:

- (a) Six different surfactants (15 g for each powder) were mixed with 5 1 g of Hi-Sil® (fumed silica from PPG) and 42.5 g of a 58% aqueous solution of trimethylsulfonium-N-phosphonomethylglycine and worked-up as in Example VI. Table III indicates the surfactants used.

TABLE III  
Surfactants

<u>Pow-</u> <u>der</u>	<u>Tradename</u>	<u>Mfgr.</u>	<u>Melting</u> <u>point</u> <u>(°C)</u>	<u>Average</u> <u>Molecular</u> <u>Weight</u>	<u>Viscosity</u> <u>@ 77°C</u> <u>(cps)</u>	<u>Class or Formula</u>
1	Pluronic® 108	BASF	57	14,600	2800	Polyol
2	Tetronic® 909	BASF	59	30,000	8200	Polyol
3	Pluracol® E8000	BASF	61	7,500	—	Polyethylene glycol
4	Plurafac® A-39	BASF	56	2,600	125	Linear alcohol ethoxylate
5	Iconol® DNP-150	BASF	55	6,900	—	Dinonylphenol ethoxylate
6	Tricol® 6954	EMery	54	—	—	Nonylphenol ethoxylate

- (b) In addition, six powders were prepared from a combination of two surfactants, Iconol DNP-150, m.p. 55°C and Trycol® 6954, m.p. 54°C, at 3  
10 different levels: 15, 20 and 25 g with 42.5 g of a 58 wt. % solution of trimethylsulfonium-N-phosphonomethylglycine as in Example VI. In each instance a dry powder was obtained.

EXAMPLE XI

- A composition was prepared as in Example I, except for using 300 g of Pluronic F-88 (block copolymer of propylene oxide) and ethylene oxide  
15 (from BASF, m.p. 54°C) as the surfactant, 574 g of a 58% aqueous trimethylsulfonium N-phosphonomethylglycine solution, 10 drops of Silcolapse 5008 and mixing in a 2 liter round-bottomed flask. The solid obtained did not deliquesce upon standing in the open.

The phytoactive compositions of this invention are effective when subsequently dissolved or dispersed in a suitable diluent, preferably water, and applied to the locus desired by spray or other conventional means. Conventional adjuvants, including wetting agents, penetrating agents, spreading or sticking agents, carriers, extenders and conditioning agents, such as dispersing agents can be added to the final solution or dispersion.

The following examples demonstrate the herbicidal effectiveness of the compositions of the invention. The effectiveness was observed by comparing the extent of weed control in test containers treated with the EMCM compositions in accordance with the invention with that occurring in similar control containers. The soil used in these tests was a sandy loam soil from the Livermore, California area.

The soil was treated by the addition of 17-17-17 fertilizer (N-P<sub>2</sub>O<sub>5</sub>-K<sub>2</sub>O on a weight basis), amounting to 50 ppm by weight, with respect to the soil, and CAPTAN®, a soil fungicide.

The thus treated soil was then placed in plastic tubs, 6 inches in diameter and 5 inches deep with drainage holes. Johnsongrass rhizomes, Bermuda grass cuttings and purple nutsedge tubers were planted in the test containers. The test weeds were as follows:

	<u>Common Name</u>	<u>Scientific Name</u>
<u>Weeds:</u>	A. Johnsongrass	<u>Sorghum halepense</u>
	B. Bermuda grass	<u>Cynodon dactylon</u>
	C. purple nutsedge	<u>Cyperus rotundus</u>

Sufficient stock or cuttings were planted to produce several seedlings per container. After planting, the containers were placed in a greenhouse maintained at 21° to 30°C and watered daily with a sprinkler.

A variety of EMCM compositions based on trimethylsulfonium N-phosphonomethylglycine were sprayed on the seedling approximately 35 days after planting. The compositions are shown in Table IV. Composition 1 was a liquid formulation. Compositions 2 through 13 were solid

compositions, produced in accordance with the invention. Each composition was dissolved in 400 ml of water and then a 40 ml aliquot of the resulting solution was used for spraying at the rates indicated in Table IV.

Approximately 28 days after the spraying, the degree of weed control was rated and recorded as a percentage control compared to the control exhibited on the same species of the same age which had not been sprayed. The rating ranged from 0 to 100%, where 0 equaled no effect on plant growth when compared to the untreated control, and 100 equals complete killing of the test weeds.

10           The results are listed in Table IV.

TABLE IV

Composition	Weight in grams	Rate (lb/A)	Percent Control Ratings		
			Johnson grass	Bermuda grass	Purple Nutsedge
1. Herbicide Ethaquod 12	3.84	1/4	65	65	-
	1.54	1/2	97	99	55
		1	-	-	93
2. Herbicide Pluronic F-108	3.84	1/4	40	15	-
	2.30	1/2	85	55	45
		1	-	-	93
3. Herbicide Tetronic 909	3.84	1/4	25	10	-
	2.30	1/2	80	45	40
		1	-	-	85
4. Herbicide Pluracol E8000	3.84	1/4	10	15	-
	2.30	1/2	75	50	35
		1	-	-	80
5. Herbicide Plurafac A-39	3.84	1/4	15	25	-
	2.30	1/2	80	60	25
6. Herbicide Iconol DNP-150	3.84	1/4	15	15	-
	2.30	1/2	70	60	25
		1	-	-	75
7. Herbicide Trycol 6954	3.84	1/4	35	20	-
	2.30	1/2	80	70	25
8. Herbicide Iconol DNP-150	3.84	1/4	35	20	-
	2.68	1/2	75	70	35
		1	-	-	85
9. Herbicide Iconol DNP-150	3.84	1/4	25	35	-
	3.07	1/2	75	70	45
		1	-	-	80
10. Herbicide Iconol DNP 150	3.84	1/4	25	35	-
	3.84	1/2	75	70	50
		1	-	-	80
11. Herbicide Inocol DNP-150	3.84	1/4	35	35	-
	3.84	1/2	85	80	35
		1	-	-	75
12. Herbicide Plurafac A-39	3.84	1/4	40	35	-
	3.07	1/2	85	75	35
		1	-	-	88
13. Herbicide Plurafac A-39	3.84	1/4	55	40	-
	3.84	1/2	95	98	35
		1	-	-	93
control		0	0	0	0

The amount of the composition which constitutes a phytoactive amount depend on the nature of the plants and the effect desired. The rate of application generally varies from about 0.01 to about 50 pounds of RCM compound per acre, preferably about 0.1 to about 25 pounds per acre  
5 with the actual amount depending on the overall cost and the desired results. It will be readily apparent to one skilled in the art that compositions exhibiting lower phytoactivity will require a higher application rate than the more active compounds for the same degree of effectiveness.

Claims

1. A solid, substantially non-hygroscopic, phytoactive composition comprising an intimate mixture of a phytoactive N-phosphonomethyl-N-carboxymethyl compound and a surfactant, where the surfactant is solid at ambient temperature.

- 5           2. A composition in accordance with Claim 1 wherein the N-phosphonomethyl-N-carboxymethyl compound is of the formula




and where M is independently selected from hydrogen and agriculturally acceptable salt-forming moieties.

3. A composition in accordance with Claim 2 wherein the N-phosphonomethyl-N-carboxymethyl compound is N-phosphonomethylglycine.

4. A composition in accordance with Claim 2 wherein the N-phosphonomethyl-N-carboxymethyl compound is trimethylsulfonium-N-phosphonomethylglycine.

5. A composition in accordance with Claims 1, 2, 3 or 4 wherein the surfactant is an ethylene oxide or propylene oxide block copolymer.

6. A composition in accordance with Claims 1, 2, 3 or 4 wherein the surfactant is a block copolymer of alkyl oxides having a functional group



wherein R and R' are independently selected from hydrogen,  $\text{R}''\text{CO}-$ ,  $\text{R}''\text{O}-$ ,

- 20  $\text{R}''\text{CN}-$  or  $\text{R}''\text{N}-$  or  $\text{N}-$  wherein R'' is selected from the alkyl group having from about 8 to about 30 carbon atoms or alkylaryl groups wherein the alkyl portion of the alkylaryl group ranges from about 8 to about 30 carbon atoms, and mixtures thereof, and wherein m ranges from about 20 to about 200, n ranges from about 0 to about 10, and m + n is equal to or greater than about 25.



7. A method for the preparation of a solid, phytoactive, composition comprising:

(a) forming an initial mixture comprising a phytoactive N-phosphonomethyl-N-carboxymethyl compound, a solvent and a molten surfactant, the surfactant being solid at ambient temperatures;

(b) removing solvent from said initial mixture to form a final mixture at a temperature above the melting point of the surfactant; and

(c) cooling said final mixture to a temperature below the melting point of the surfactant to form a N-phosphonomethyl-N-carboxymethyl composition which is solid at ambient temperature.

8. A method in accordance with Claim 7 wherein the N-phosphonomethyl-N-carboxymethyl compound is of the formula



and where M is independently selected from hydrogen and agriculturally acceptable salt-forming moieties.

9. A method in accordance with Claim 8 wherein the N-phosphonomethyl-N-carboxymethyl compound is N-phosphonomethylglycine.

10. A method in accordance with Claim 8 wherein the N-phosphonomethyl-N-carboxymethyl compound is isopropylamine-N-phosphonomethylglycine.

11. A method of controlling vegetation wherein a phytoactive amount of a composition in accordance with claim 1, optionally in admixture with a diluent, is applied thereto.